APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office	-9CT-2-8-1983 NEW PRIORITY DATE: MAR 20 1992		
Returned to applicant for correction	DEC 7 1983		
	DEC 2 0 1983		
Map filed	DEC 2 0 1983 under 47366		
= Geothermal Dev	relopment Associates		
			
Street and No. or P.O. Box No.	, of Reno City or Town		
Nevada 89503 State and Zip Code No.	, hereby make. S. application for permission to appropriate the public		
waters of the State of Nevada, as hereinafter	stated. (If applicant is a corporation, give date and place of incorpora-		
tion; if a copartnership or association, give nar	mes of members.) November 28, 1978, Nevada		
=			
1. The source of the proposed appropriation	n is ground water Name of stream, lake, spring, underground or other source		
2. The amount of water applied for is	3.0 second-feet One second-foot equals 448.83 gals. per min.		
	One second-root equals 448.83 gais. per min.		
3. The water to be used forgeot	hermal power. on, power, mining, manufacturing, domestic, or other use. Must limit to one use.		
Irrigation 4. If use is for:	on, power, mining, manufacturing, domestic, or other use. Must limit to one use.		
	- !!		
	e irrigated:		
•	of animals to be watered:		
(c) Other use (describe fully under "No. 1	12. Remarks" geothermal power generation		
(d) Power:			
(1) Horsepower developed			
(2) Point of return of water to stream	m		
5. The water is to be diverted from its source	ce at the following point: From a well within the NE ¹ / ₄ SE ¹ / ₄ Describe as being within a 40-acre subdivision of public		
of said Sec. 29, T 18 N., R.	. 20 E., M.D.M, Nev. on a tangent 996.00', bearing		
survey, and by course and distance to a section corn $N3^009'00''E$, to the East $\frac{1}{4}$ co	orner of Said Sec. 29.		
	4, SW¼ NE¼, and NE¼ SE¼ Sec. 29, T. 18N.,		
Describe by legal subdivision. If on unsurveyed land, it should be so stated. D 20 E M D P 2 M Novada			
	10		
,	Docombon 31		
	and end about December 31 , of each year. Month and Day		
	he provisions of NRS 535.010 you may be required to submit plans and		
specifications of your diversion or storag	works.) Drilled well and collection system. State manner in which water is to be diverted, i.e. diversion structure, ditches and		
flumes, drilled well with pump and motor, etc.			
O Testimente d'acest af mandre	\$140,000		

10.	Estimated time required to construct works. Three years If well completed, describe works.			
11.	Estimated time required to complete the ap	plication of water to beneficial use.	Three years	
12.	. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annua consumptive use.			
	This well will be one of two	or more geothermal produc	tion wells having a total	
	diversion of up to eight (8) cfs; consumptive use will be about 1.6 cfs i			
	power plant evaporative cooli	ng system (1065 ac-ft per	year); the balance	
G	(6.6 cfs) will be reinjected wells.	GEOTHERMAL D By s/ G. Martin 251 Ralston	EVELOPMENT ASSOCIATES Booth Street	
	ested Pro. 3/12/84 by Peter G. a 3/26/84 by Washoe County <u>:</u>	nd Bernice Guisti. Judith	Harvey & Karen Mardian:	
	Dwo uphold	OF STATE ENGINEER		
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:				
This permit is issued subject to existing rights. It is understood that the amount of geothermal fluid herein granted is only a temporary allowance and that the final right obtained under this permit will be dependent upon the amount actually placed to beneficial use. It is also understood that this right must allow for a reasonable decrease of fluid pressure and heat. The well shall be equipped and maintained to prevent any waste of the geothermal fluid. Accurate measurements must be kept of discharge of the production well and the amount of fluid injected into the injection well to determine the total amount of fluid consumed for a beneficial use. The production and injection well are to be cemented from the producing levels to the surface to protect fresh water zones. This permit is issued subject to the condition that only geothermal fluids are to be diverted and used beneficially for heating purposes and fresh, cold water aquifers are not to be diverted. The used geothermal fluids are to be returned to the source via the injection well. The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies. A detailed log on the injection well and/or other analyses of the system used for returning the used geothermal fluids to the source must be submitted together (CONTINUED ON PAGE 2) The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and				
Wor	k must be prosecuted with reasonable dilig	ence and be completed on or befor	e January 8, 1987	
Proc	of of completion of work shall be filed before	<u> </u>	February 8, 1987	
App	lication of water to beneficial use shall be m	ade on or before	January 8, 1990	
Proc	of of the application of water to beneficial	use shall be filed on or before	February 8, 1990	
Map in support of proof of beneficial use shall be filed on or before				
Completion of work filed FEB 6 1987 IN TESTIMONY WHEREOF, I. PETER G. MORROS State Engineer of Nevada, have hereunto set my hand and the seal of				
Proo	f of beneficial use filed			
Culti	ıral map filed		, OL.,,	
Certi	ficate NoIssued	A.D. 1985	S.M.	
218 (Rev.) State Engineer ANCELLED APR 1 3 1992 BECAUSE OF FAILURE DESCRIPTION OF DEPART				
	or	COMS OF PERMIT		

47367

Page 2

(PERMIT TERMS CONTINUED)

with the Proof of Completion.

An annual report for this well must be filed under this permit describing the amount of geothermal fluid consumed to a beneficial use for the calendar year. This report must also detail the amount of fluid produced and injected.

The total combined diversion rate under Permits 47366, 47367, 47368, 47369 and

47370 is limited to 8.0 cubic feet per second.
Permits 47366, 47367, 47368, 47369 and 47370 are issued subject to the terms and

conditions set forth in the ruling of the State Engineer on October 30, 1984.

The total withdrawal of the geothermal fluid shall be limited to 5,792 acrefeet per year but the total consumptive use of the geothermal fluid is limited to only incidental fluid losses in the system and in no case shall it amount to more than 10% of the volume withdrawn annually. The State Engineer does not waive the right to make a determination of incidental fluid losses at any time and impose additional conditions thereto. This permit is further issued subject to the provisions of NRS 533.372(1) and with the understanding that the power or energy generated by the beneficial use of this water or steam is subject to recapture and use within the boundaries of the State of Nevada when the need arises.